

Catheterization Lab – Sample Note, Aortography

Patient Name: Jeffrey Rogers
MRN: 4555
Note Status: Finalized

Procedure Date: 05/30/2008 10:00:00
Account #: 22233
Attending MD: Thomas C. Paine MD

Providers:

Thomas C. Paine, MD (Doctor)

Referring MD:

James Edwards, MD

Procedure:

Aortography and Renal Artery Stent Placement

Indications:

Renal hypertension. Family history of hypertension. Peripheral vascular disease.

Pertinent Medications:

Atenolol (Tenormin) 50 mg PO daily
 Diltiazem (Cardizem/Dilacor/Tiazac) 120 mg PO daily

Pre-Procedure Assessment:

A History and Physical has been performed. Patient meds and allergies have been reviewed. The risks and benefits of the procedure and the sedation options and risks were discussed with the patient. All questions were answered and informed consent was obtained. Patient identification and proposed procedure were verified prior to the procedure by the cardiologist in the pre-procedure area. Pre-procedure physical examination revealed no contraindications to sedation. Mental status evaluation showed the patient to be normal. Airway examination showed normal oropharyngeal airway. Cardiovascular examination of the patient showed no abnormal findings. ASA grade is II (patient with mild systemic disease). After reviewing the risks and benefits, the patient was deemed in satisfactory condition to undergo the procedure. Immediately prior to administration of medications, the patient was re-assessed for adequacy to receive sedatives. The heart rate, respiratory rate, oxygen saturations, blood pressure, adequacy of pulmonary ventilation, and response to care were monitored throughout the procedure. The physical status of the patient was re-assessed after the procedure.

Adequacy/Tolerance:

The quality of the study was adequate.
 The patient tolerated the procedure well.

Procedure Medications:

Midazolam (Versed) 2 mg IV total dose.
 Fentanyl (Sublimaze) 50 mcg IV total dose.

Description of Procedure:

Approach:

- Right femoral artery approach. Access method: Percutaneous needle puncture.

Arteriography

- The suprarenal abdominal aorta and infrarenal abdominal aorta were cannulated and injected.

Devices Used

- Sheaths utilized: Size: 6.0 Fr. Length: Short. Flexor Type: Introducer.
 - Catheters utilized: Type: Pigtail. Size: 6.0 Fr.
 - Stent utilized: Bridge Extra Support Over-The-Wire Renal Stent System. Manufacturer: Medtronic. Strut Thickness: 0.08 mm. Diameter: 3.5 mm. Length: 10 mm.

Findings/Interventions:

The lower extremity circulation was visualized by runoff of contrast.

-- Right Femoral Artery Approach --

Aortography Injections

- The pigtail catheter was advanced into the suprarenal aorta and an injection of contrast was performed. The pigtail catheter was advanced into the distal abdominal aorta and an injection of contrast was performed to better visualize distal vasculature.

Patient Name: Jeffrey Rogers
MRN: 4555
Note Status: Finalized

Procedure Date: 05/30/2008 10:00:00
Account #: 22233
Attending MD: Thomas C. Paine MD

Aorta and Major Vessels

- There were no obstructing lesions in the infrarenal aorta. There was a 90% discrete atherosclerotic stenosis in the right renal artery. There were no obstructing lesions in the left renal artery. Blood flow appeared normal. A bare metal stent was placed in the right renal artery. Post-procedure stenosis was 20%. There were no obstructing lesions in the right ilac, common femoral, superficial femoral, deep femoral, popliteal, peroneal, anterior and posterior tibial arteries. There were no obstructing lesions in the left ilac, common femoral, superficial femoral, deep femoral, popliteal, peroneal, anterior and posterior tibial arteries.

Complications:

No immediate complications.

Impression:

The left renal artery was patent.
Successful stenting of the 90% stenosis of the right renal artery.

Recommendation:

Clopidogrel (Plavix) 75 mg PO daily for 3 months.

CPT Code(s):

37205, Transcatheter placement of an intravascular stent(s) (except coronary, carotid, and vertebral vessel), percutaneous; initial vessel
36245, Selective catheter placement, arterial system; each first order abdominal, pelvic, or lower extremity artery branch, within a vascular family
75716, 59, Angiography, extremity, bilateral, radiological supervision and interpretation
75625, Aortography, abdominal, by serialography, radiological supervision and interpretation
75960, Transcatheter introduction of intravascular stent(s) (except coronary, carotid, and vertebral vessel), percutaneous and/or open, radiological supervision and interpretation, each vessel

ICD Code(s):

403.90, Unspecified hypertensive kidney disease with chronic kidney disease stage I through stage IV, or unspecified
585.9, Chronic kidney disease, unspecified
V17.49, Family history of other cardiovascular diseases

CPT © 2007 American Medical Association. All Rights Reserved.

No fee schedules, basic units, relative values or related listings are included in CPT. AMA does not directly or indirectly practice medicine or dispense medical services. AMA assumes no liability for data contained or not contained herein.


CPT is a registered trademark of the American Medical Association.

The codes documented in this report are preliminary and upon coder review may be revised to meet current compliance requirements.

Patient Name: Jeffrey Rogers
MRN: 4555
Note Status: Finalized

Procedure Date: 05/30/2008 10:00:00
Account #: 22233
Attending MD: Thomas C. Paine MD

DocuDiagram



E-Signed by: Thomas C. Paine, MD

Thomas C. Paine, MD
Signed Date: 05/30/2008 10:35:08
Number of Addenda: 0
This report has been signed electronically.
Note initiated on" 05/30/2008 10:00:00

www.provationmedical.com

Printed June 2008. Codes subject to change based on quarterly/annual CPT/ICD/CCI changes.
© 2008 ProVation Medical, Inc. All Rights Reserved.